New Products

83-6579

83-6579 - Crimpers & Cutters, Nylon Tube Cutter - For 18 mm tubing or less

Electrical Connections / Kits & Tools

- Precision cutting blade produces clean, square cuts on nylon air brake tubing, helping ensure proper fitting engagement and reducing the risk of air leaks.
- Quality construction provides long service life in demanding shop and field environments, minimizing tool replacement costs and downtime.
- Designed specifically for nylon air brake tubing, these cutters deliver consistent results that help support safe, reliable air system installations and repairs.
- Smooth cutting action reduces tube deformation and crushing, making assembly easier and helping maintain optimal air flow through the system.
- Compact, easy-to-use design improves efficiency during installation and maintenance tasks, allowing technicians to make fast, accurate cuts with minimal effort.
- Outil à sertir abordable
- Conception ergonomique avec poignées isolées

Vist Product Page

83-6580

83-6580 - Crimpers & Cutters, Nylon Tube Cutter - For 12 mm tubing or less

Electrical Connections / Kits & Tools

- Precision cutting blade produces clean, square cuts on nylon air brake tubing, helping ensure proper fitting engagement and reducing the risk of air leaks.
- Quality construction provides long service life in demanding shop and field environments, minimizing tool replacement costs and downtime.
- Designed specifically for nylon air brake tubing, these cutters deliver consistent results that help support safe, reliable air system installations and repairs.
- Smooth cutting action reduces tube deformation and crushing, making assembly easier and helping maintain optimal air flow through the system.
- Compact, easy-to-use design improves efficiency during installation and maintenance tasks, allowing technicians to make fast, accurate cuts with minimal effort.
- Outil à sertir abordable
- Conception ergonomique avec poignées isolées

Vist Product Page

81-0239-PC

81-0239-PC - OEM-Spec PTC Composite Fittings, Male Elbow (swivel) 1/4” X 1/8”

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0240-PC

81-0240-PC - OEM-Spec PTC Composite Fittings, Male Elbow (swivel) 5/32” X 1/8”, PK10

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0242-PC

81-0242-PC - OEM-Spec PTC Composite Fittings, Male Elbow (swivel) 5/8” X 1/2”, PK5

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0245-PC

81-0245-PC - OEM-Spec PTC Composite Fittings, Union Elbow 1/4”, PK10

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0244-PC

81-0244-PC - OEM-Spec PTC Composite Fittings, Straight Union 5/8”, PK5

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0246-PC

81-0246-PC - OEM-Spec PTC Composite Fittings, Union Elbow 3/8”, PK10

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0231-PC

81-0231-PC - OEM-Spec PTC Composite Fittings, 45° Male Elbow (swivel) 1/2" X 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0232-PC

81-0232-PC - OEM-Spec PTC Composite Fittings, 45° Male Elbow (swivel) 1/2" X 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0233-PC

81-0233-PC - OEM-Spec PTC Composite Fittings, Male Run Tee (swivel) 3/8" X 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0234-PC

81-0234-PC - OEM-Spec PTC Composite Fittings, Male Run Tee (swivel) 3/8" X 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0235-PC

81-0235-PC - OEM-Spec PTC Composite Fittings, Male Connector 1/4” X 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0236-PC

81-0236-PC - OEM-Spec PTC Composite Fittings, Male Connector 5/32” X 1/8”

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0237-PC

81-0237-PC - OEM-Spec PTC Composite Fittings, Male Connector 5/32” X 1/4”

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0238-PC

81-0238-PC - OEM-Spec PTC Composite Fittings, Male Connector 1/2” X 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0241-PC

81-0241-PC - OEM-Spec PTC Composite Fittings, Male Elbow (swivel) 1/2” X 1/4”, PK5

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0243-PC

81-0243-PC - OEM-Spec PTC Composite Fittings, Straight Union 5/32”, PK10

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0223-PC

81-0223-PC - OEM-Spec PTC Composite Fittings, Union Tee 1/2"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0224-PC

81-0224-PC - OEM-Spec PTC Composite Fittings, Male Branch Tee (swivel) 1/4" X 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0225-PC

81-0225-PC - OEM-Spec PTC Composite Fittings, Male Branch Tee (swivel) 3/8" X 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0226-PC

81-0226-PC - OEM-Spec PTC Composite Fittings, Male Branch Tee (swivel) 3/8" X 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0227-PC

81-0227-PC - OEM-Spec PTC Composite Fittings, Male Branch Tee (swivel) 1/2" X 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0228-PC

81-0228-PC - OEM-Spec PTC Composite Fittings, Male Branch Tee (swivel) 3/8" X 1/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0229-PC

81-0229-PC - OEM-Spec PTC Composite Fittings, 45° Male Elbow (swivel) 3/8" X 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0230-PC

81-0230-PC - OEM-Spec PTC Composite Fittings, 45° Male Elbow (swivel) 3/8" X 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0216-PC

81-0216-PC - OEM-Spec PTC Composite Fittings, Male Elbow (swivel) 1/2" X 1/2"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0217-PC

81-0217-PC - OEM-Spec PTC Composite Fittings, Straight Union 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0218-PC

81-0218-PC - OEM-Spec PTC Composite Fittings, Straight Union 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0219-PC

81-0219-PC - OEM-Spec PTC Composite Fittings, Straight Union 1/2"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0220-PC

81-0220-PC - OEM-Spec PTC Composite Fittings, Y-Union - 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0221-PC

81-0221-PC - OEM-Spec PTC Composite Fittings, Union Tee - 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0222-PC

81-0222-PC - OEM-Spec PTC Composite Fittings, Union Tee 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0210-PC

81-0210-PC - OEM-Spec PTC Composite Fittings, Male Elbow (swivel) 1/4" X 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0211-PC

81-0211-PC - OEM-Spec PTC Composite Fittings, Male Elbow (swivel) 1/4" X 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0212-PC

81-0212-PC - OEM-Spec PTC Composite Fittings, Male Elbow (swivel) 3/8" X 1/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0213-PC

81-0213-PC - OEM-Spec PTC Composite Fittings, Male Elbow (swivel) 3/8" X 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0214-PC

81-0214-PC - OEM-Spec PTC Composite Fittings, Male Elbow (swivel) 3/8" X 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0215-PC

81-0215-PC - OEM-Spec PTC Composite Fittings, Male Elbow (swivel) 1/2" X 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0202-PC

81-0202-PC - OEM-Spec PTC Composite Fittings, Bulkhead Union - 1/2"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0203-PC

81-0203-PC - OEM-Spec PTC Composite Fittings, Male Connector - 1/4" X 1/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0204-PC

81-0204-PC - OEM-Spec PTC Composite Fittings, Male Connector 1/4" X 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0205-PC

81-0205-PC - OEM-Spec PTC Composite Fittings, Male Connector 3/8" X 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0206-PC

81-0206-PC - OEM-Spec PTC Composite Fittings, Male Connector 3/8" X 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0207-PC

81-0207-PC - OEM-Spec PTC Composite Fittings, Male Connector 3/8" X 1/2"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0208-PC

81-0208-PC - OEM-Spec PTC Composite Fittings, Male Connector 1/2" X 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0209-PC

81-0209-PC - OEM-Spec PTC Composite Fittings, Male Connector 1/2" X 1/2"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0201-PC

81-0201-PC - OEM-Spec PTC Composite Fittings, Bulkhead union - 3/8"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

81-0200-PC

81-0200-PC - OEM-Spec PTC Composite Fittings, Bulkhead Union - 1/4"

Electrical Connections / Air Products

- Designed for heavy-duty air brake applications, these fittings deliver dependable performance under vibration, pressure, and temperature extremes.
- Push-to-connect technology with factory-applied thread sealant speeds installation while helping ensure secure, leak-free connections.
- Durable composite housing and stainless-steel internal components offer exceptional strength without the weight of traditional metal fittings.
- Enhanced sealing technology and robust tube retention provide reliable performance in both extreme cold and everyday operating conditions.
- SAE and DOT compliant construction provides confidence in safety, reliability, and long-term fleet performance.
- Engineered to resist vibration, chemicals, and harsh road conditions, helping reduce maintenance and unexpected downtime.

Vist Product Page

84H10-5

84H10-5 - Freightliner M2 LED Headlamps, Freightliner M2 LED Headlamp, LH

White Light / Forward Lighting

- All functions are LED (less current draw, longer lasting)
- De-icing technology with premium UV lens coating
- Designed and manufactured in Madison, IN (USA) with OEM quality
- Patented Bi-optic Technology for efficient light pattern performance
- Retrofittable to all Freightliner M2 106 and 112 truck models and Thomas Built C2 models

Vist Product Page

84H20-5

84H20-5 - Freightliner M2 LED Headlamps, Freightliner M2 LED Headlamp, RH

White Light / Forward Lighting

- All functions are LED (less current draw, longer lasting)
- De-icing technology with premium UV lens coating
- Designed and manufactured in Madison, IN (USA) with OEM quality
- Patented Bi-optic Technology for efficient light pattern performance
- Retrofittable to all Freightliner M2 106 and 112 truck models and Thomas Built C2 models

Vist Product Page

84H30-5

84H30-5 - Freightliner M2 LED Headlamps, Freightliner M2 LED Headlamp with De-Icing, LH

White Light / Forward Lighting

- All functions are LED (less current draw, longer lasting)
- De-icing technology with premium UV lens coating
- Designed and manufactured in Madison, IN (USA) with OEM quality
- Patented Bi-optic Technology for efficient light pattern performance
- Retrofittable to all Freightliner M2 106 and 112 truck models and Thomas Built C2 models

Vist Product Page

84H40-5

84H40-5 - Freightliner M2 LED Headlamps, Freightliner M2 LED Headlamp with De-Icing, RH

White Light / Forward Lighting

- All functions are LED (less current draw, longer lasting)
- De-icing technology with premium UV lens coating
- Designed and manufactured in Madison, IN (USA) with OEM quality
- Patented Bi-optic Technology for efficient light pattern performance
- Retrofittable to all Freightliner M2 106 and 112 truck models and Thomas Built C2 models

Vist Product Page

81-2343

81-2343 - EZ Claw Tensioner System, EZ Claw Rivet Nut Installation Tool Kit

Electrical Connections / Air Products

- This toolkit includes a 1/4" high speed steel drill bit for the pilot hole and a 17/32" high speed steel drill bit for the finish hole. Each hole accommodates the 5/16" rivet nuts included with all EZ Claw mounting brackets.
- The kit features a carrying case and manual rivet nut tool. Extra rivet nuts are included as well.
- 13 interchangeable mandrels
- High-performance manual rivet nut tool is included

Vist Product Page

81-2344

81-2344 - EZ Claw Tensioner System, EZ Claw Rivet Nut Drill Adapter Tool Kit

Electrical Connections / Air Products

- Ensuring a quick and seamless installation on the back of a cab, headache rack or under a trailer, this adapter kit includes a Rivet Nut Drill Adapter, 1/4" high-speed drill bit for the pilot hole and a 17/32" high-speed drill bit for the finish hole.
- The drill bits are equipped with a non-marring HDPE stop sleeve to ensure accurate depth of the drill hole, and a center punch is provided for pinpoint accuracy. The kit features a handy carrying case.
- 8 interchangeable mandrels: Metric: M5, M6, M8, M10, SAE: 10-24, 1/4-20, 5/16-18, 3/8-16.

Vist Product Page

79363-5

79363-5 - Industry-Class Beacons, Airport-Class LED Beacon

Warning & Hazard / Beacons

- Meets ICAO and CAP 168 standards for compliant airport and aviation facility use on mobile obstacles
- Seven selectable flash patterns provide flexible signaling for multiple ground operations
- IP67-rated housing delivers reliable performance in wet, dusty, and high-vibration conditions
- Fresnel lens optics ensure 360° visibility, including from above
- Wide temperature range supports reliable operation in extreme climates

Vist Product Page

64V11-3

64V11-3 - e Series LED Work Lamps, e90, Near Flood, DT, 12 V

White Light / Work Lighting

- Compact housing with a depth of only 3.5 cm/1.38”
- Compact housing with a depth of only 3.5 cm/1.38”
- Robust materials enhance endurance in tough environmental conditions
- Robust materials enhance endurance in tough environmental conditions
- Water- and dust-proof in accordance with IP69K
- Water- and dust-proof in accordance with IP69K
- Premium level EMC requirements (CISPR25 Class 5) - won’t interfere with radio signals
- Premium level EMC requirements (CISPR25 Class 5) - won’t interfere with radio signals

Vist Product Page

64V01-3

64V01-3 - e Series LED Work Lamps, e90, Near Flood, DT, 24 V

White Light / Work Lighting

- Compact housing with a depth of only 3.5 cm/1.38”
- Compact housing with a depth of only 3.5 cm/1.38”
- Robust materials enhance endurance in tough environmental conditions
- Robust materials enhance endurance in tough environmental conditions
- Water- and dust-proof in accordance with IP69K
- Water- and dust-proof in accordance with IP69K
- Premium level EMC requirements (CISPR25 Class 5) - won’t interfere with radio signals
- Premium level EMC requirements (CISPR25 Class 5) - won’t interfere with radio signals

Vist Product Page

87-5250

87-5250 - GXL Primary Wire, Length 500' Red

Electrical Connections / Wire & Cable

- Plage de température de -40 °C (-40 °F) à 125 °C (257 °F)
- Conçu pour des applications automobiles
- Isolation en polyéthylène réticulé (XLPE)
- Résistant à l'humidité, à l'huile et à l'essence
- Fabriqué selon la spécification SAE J1128

Vist Product Page

87-7252

87-7252 - GXL Primary Wire, Length 500' Black

Electrical Connections / Wire & Cable

- Plage de température de -40 °C (-40 °F) à 125 °C (257 °F)
- Conçu pour des applications automobiles
- Isolation en polyéthylène réticulé (XLPE)
- Résistant à l'humidité, à l'huile et à l'essence
- Fabriqué selon la spécification SAE J1128

Vist Product Page